

Amphenol

Interconnect India Pvt. Ltd.

QPL
Approved Products




ENABLING THE ELECTRONICS REVOLUTION

ENABLING THE ELECTRONICS REVOLUTION

SR. NO.	PRODUCT IMAGE	PRODUCT NAME	MIL STANDARD	SLASH SHEETS QUALIFIED	NUMBER OF PARTS QUALIFIED	INITIAL QUALIFICATION
1		Connectors, Circular Threaded, AN Type Finish : L, LS, U, US, KT, KS, W, K	SAE AS50151	AS3450, AS3451, AS3452, AS3454, AS3456, AS3459, AS25042, AS25043, AS3105	58572	February 2025
2		Circular, Threaded, High Shock, High Density, Shipboard Connectors & Accessories Finish : A, B, C, D, E, S, U, W	MIL-DTL-28840	/1, /2, /3, /5, /6, /7, /8, /9, /10, /11, /12, /13, /14, /15, /16, /17, /18, /19, /20, /21, /22, /23, /24, /25, /26, /27, /28, /29, /30	40367	May 2022
3		Environmental Resisting & Hermetically Sealed Connectors & Accessories Finish : A, G, H, J, K, L, N, P, R, S, W, Y, Z	MIL-DTL-83723	/59, /60, /61, /71, /72, /73, /74, /75, /76, /77, /78, /79, /80, /81, /82, /83, /84, /85, /86, /87, /88, /89, /90, /91, /92, /93, /94, /95, /96, /97, /98	47886	October 2021
4		Miniature high density circular connectors Finish : F, W, Z, L, J, M + Hermetic & Firewall Finish : N, Y, K, S	MIL-DTL-38999	/20, /21, /23, /24, /25, /26, /27	61920	May 2012
5		Dummy Receptacle Finish : F, W, Z, J, M	MIL-DTL-38999	/22	55	May 2013
6		Protective cover for MIL-DTL-38999 Series III Finish : F, H, K, N, S, W, Y, Z, J, M	MIL-DTL-38999	/32, /33	540	August 2010
7		Protective cover for MIL-DTL-38999 Series I & II Finish : B, C, F, Z	MIL-DTL-38999	MS27501, MS27502, MS27510, MS27511	792	November 2013
8		Sealing Boot for Size 8 shielded crimp contacts	MIL-DTL-38999	/62	2	January 2023
9		Hexagonal circular nut Finish : F, W, Z, K, N	MIL-DTL-38999	/28	90	May 2012
		Hexagonal circular nut Finish : A, E, N, P, T, W, Z	MIL-DTL-26482	MS3186	630	May 2014
10		Circular miniature quick disconnect environmental resisting Series II Connectors Finish : A, L, W	MIL-DTL-26482	MS3470, MS3471, MS3472, MS3474, MS3475, MS3476	9248	May 2014
11		Protective cover for MIL-DTL-26482 Finish : A, K, L, W	MIL-DTL-26482	MS3180, MS3181	360	January 2012

ENABLING THE ELECTRONICS REVOLUTION

SR. NO.	PRODUCT IMAGE	PRODUCT NAME	MIL STANDARD	SLASH SHEETS QUALIFIED	NUMBER OF PARTS QUALIFIED	INITIAL QUALIFICATION
12		Dummy Receptacle 26482 series Finish : A, K, L, W	MIL-DTL-26482	MS3115	36	July 2017
13		Quick Disconnect, Heavy Duty MIL-DTL-22992 Class L (arc quenching type) Connectors & Protective Covers Shell Size : 32, 44, 52	MIL-DTL-22992	MS90555, MS90556, MS90557, MS90558, MS90563, MS90564, MS90561	301	September 2013
14		Contacts & Bush Size 32, 44, 52 for Class L Connectors	SAE AS39029	/48, /49, /112	28	April 2014
15		D-SUB Connectors Crimp type, standard & high density for Ground and Space Application Finish : Z, K, Cadmium, Electroless Nickel, Gold	MIL-DTL-24308	/1, /2, /3, /4, /5, /6, /7, /8, /23, /24	2491	October 2010
16		Backshell Straight, Strain Relief for MIL-DTL-24308 D-SUB Connectors Finish : F & N	SAE AS85049	/48	20	August 2014
17		Plastic Insertion & Removal Tool For 38999 & 26482	SAE AS81969	/14	5	May 2013
		For 24308		/39-01	1	June 2021
18		Miniature Audio Connectors	MIL-DTL-55116	/1, /2, /3, /4, /5, /6, /7, /8, /9, /10, /11, /12, /13, /14	62	March 2009
19		Intermediate water proof power connectors (Type MW) Finish : Cadmium	MIL-DTL-55181	/1, /2, /3, /4, /7, /8	18	October 2009
20		MS27291 Support Cable (Backshell) Finish : Black Anodizing	MIL-DTL-26500	MS27291-1, MS27291-2, MS27291-3, MS27291-4, MS27291-5, MS27291-6, MS27291-13, MS27291-14, MS27291-15	9	January 2021
21		AS85049 Backshell Finish : A, N, P, W, Z, ZP	SAE AS85049	/6, /7, /8, /9, /10, /11, /14, /15, /16, /17, /18, /19, /20, /21, /23, /24, /25, /26, /27, /29, /30, /31, /33, /34, /36, /38, /39, /41, /42, /43, /47, /48, /49-2, /51, /52, /53, /54, /55, /56, /57, /58, /59, /60, /61, /62, /63, /69, /76, /77, /78, /79, /82, /83, /84, /85, /86, /87, /88, /89, /90, /91, /92, /93, /94, /95, /96, /109, /111, /112, /114, /115, /117, /118, /120, /121, /123, /124, /126, /127, /128, /130, /139, /144, /145, /146, /147, /148, /149	20532	July 2007

ENABLING THE ELECTRONICS REVOLUTION

SR. NO.	PRODUCT IMAGE	PRODUCT NAME	MIL STANDARD	SLASH SHEETS QUALIFIED	NUMBER OF PARTS QUALIFIED	INITIAL QUALIFICATION
22		CAP & Chain Cover for AS50151	SAE AS50151	AS25042, AS25043	60	January 2013
23		ESC53 Cable Supporting Bush	SAE ITC TS377	Dash Number 1 to 15, 20 to 46, 50 to 78	71	April 2015
24		ESC Backshell	ESC	/51, /52, /65, /66, /67, /75, /76, /77, /81, /86, /87	230	Aug 2016
25		EN3660 Backshells	EN3660	EN3660-004, 005, 020, 021, 033, 062, 063, 064, 065	9	Feb 2025

Amphenol

A Global Company



Pune Operations



Bangalore Operations

Amphenol

Interconnect India Pvt. Ltd.

Manufacturing Locations

Corporate Office & Pune Factory
105, Bhosari Industrial Area, Pune - 411 026.
Tel.: 91-20-6736 0305
Fax : 91-20-6736 0321
Email: svpatil@amphenol-in.com

Bangalore Factory
61, Keonics Electronic City, Hosur Road,
Bangalore - 560 102.
Tel.: 91-6679 0900 /910 /937
Fax.: 91-80-2852 0418

Marketing Headquarters
Tel.: 91-20-6736 0303, 6736 0304
Fax : 91-20-6736 0321
Email : svpatil@amphenol-in.com

Western Region
Tel.: 91-20-6736 0334
Email : sunilp@amphenol-in.com

Northern & Eastern Region
A-421, Pacific Business Park,
Plot No. 37/1, Sahibabad Indst. Area
Site IV, Ghaziabad (UP) - 201 010.
Tel.: 91-120- 6513 781 /82 /83 /84
Email : sunily@amphenol-in.com

Marketing Locations

Southern Region
No. 1115, 22nd Main Road, 11th Cross,
Sector -1, HSR Layout, Bangalore - 560 102.
Tel.: 91-80-4953 0341, 4953 0345
Fax: 91-80-4953 8697
Email : kmanoj@amphenol-in.com

Central Region
No. 7-102/5, Unit 202, 2nd floor,
Ajay Chamber, Above: ICICI Bank,
Habsiguda, Hyderabad-500007.
Mobile: +91-74110 00739
Email : ranjitk@amphenol-in.com

Exports
Tel.: 91-20-6736 0371, 6736 0373
Email : shrikantgramopadhye@amphenol-in.com